ARGENBRIGHT ONE

ONE SOURCE. EVERY SOLUTION.

COATINGS | POLISHING | STAINING | SUPPLY | RENTALS | REPAIR

PRODUCT CATALOGUE

NOV. 2026 · VOL. I

Contents

Our Story 3
ProREZ Coatings 3
ARDEX Americas 7
Classic Coatings Systems 9
Ameripolish 10
EZChem 20
Torginol 22
Coval 26
Diamond Tec 28
Seymour Midwest 31
The Brushman 35
HTS — Hi-Tech Systems 37
Vantage 38
Wellstone 39
Aramsco 39
Lavina by Superabrasive 43
CPS 46
Bartell Global 54
Portamix 56
Forte Tools 57
Kärcher 60
Argenbright ONE 62
Machines 64
Equipment Rental 82
Glossary 83
Our Brands 89

Every entry above is a link — tap a brand to jump straight to its section. Every product in this book is quoted on request.

Our Story

Argenbright One exists to make contractors' lives easier. A flooring job needs coatings, tooling, machines, and supplies — and too often they come from four different places, with four different people to call when something is missing or a machine goes down. We put all of it in one place: the materials, the equipment, and the people who stand behind both.

Our team brings a combined 85 years of experience in coatings, concrete polishing, and equipment. San Marcos, Texas is home — our store and repair shop sit on IH-35 in the middle of Central Texas. From here we look after contractors close to home, across the state, and nationwide.

We work with concrete and flooring contractors and with industrial clients.

What We Do

- **Coatings** — resinous flooring systems and the materials to install them, start to finish.
- **Polishing** — grinders, diamond tooling, and polishing systems for concrete floors.
- **Staining** — dyes, stains, and color systems, including decorative flake.
- **Supply** — the everyday materials and consumables a crew needs on the truck.
- **Rentals** — equipment rental, delivered to your job site.
- **Repair** — a full repair shop that keeps your machines working.

Rentals and repair are part of the same company you buy your materials from. When a grinder quits in the middle of a job, one call gets a rental on its way and yours into the shop. **One Source. Every Solution.** It is our slogan because it is how the company is built.

Argenbright One
1660 S IH-35, San Marcos, TX 78666 · (844) 776-7390
info@argenbrightone.com · argenbrightone.com

ProREZ™
Performance Resins and Coatings

ProREZ Coatings

Resinous flooring systems, epoxies and coating materials.
17 PRODUCT LINES

The complete ProREZ resinous flooring range — epoxy, polyaspartic, urethane cement and MMA systems, with the broadcast media, colorants, additives and cleaners that support them from prep to topcoat.

COATINGS & RESINS



Aggregates, Sands & Fillers

Silica sand, silica flour, regular sand and slurry bag kits for broadcast and mortar systems.



BioThane

Bio-based urethane coating with low odor, strong bond and tolerance for higher concrete moisture.



EcoPoxy

Two-component epoxy resin and hardener system.



FlexPoxy Flexible Epoxy

Flexible epoxy resin and hardener system for substrates subject to movement.



Pro Additives: ProGrit, ProGrip, ProExtender & ProWear

Texture, grip and wear additives for resinous flooring systems. Now including MicrobeBLOK antimicrobial additive, ProGrit #54, ProFill SL self-leveling filler, ProThickener and ProKrete Catalyst.



ProKrete Urethane Cement Systems

Cementitious urethane mortar systems (SL, HD, RT, CM, TF) for thermal-shock and heavy-duty floors.

18 options



ProPoxy Epoxy Systems

Modular 100% solids epoxy resins and hardeners: standard, fast, moisture-blocking, cove, chemical-resistant and water-based.

32 options



ProSeal SB

ProSeal SB solvent-based acrylic sealer for concrete.



ProSpartic Polyaspartic Coatings

Fast-cure polyaspartic coatings in standard and fast versions for rapid return to service.

5 options



ProThane Urethane Coatings

Solvent and water-based urethane topcoats in gloss, satin and matte finishes. Now including the ProThane HH high-humidity resin and ProThane WB in Satin and Semi-Gloss.

11 options

COLOR — DYES, STAINS, TINTS & FLAKE



ProColor Universal Colorants

Universal colorant pigments for ProREZ resin systems, in 14 standard colors.

14 options

JOINT FILLERS & REPAIR



ProMender HF

Rapid-set, high-strength polyurethane repair material for damaged joints, cracks and spalls.

COATINGS & RESINS



ProCryl MMA Systems & Resins

ProREZ's fast-cure MMA line: Primer, Initiator, Binder and FX Binder, Topcoats, Cove resin and Ready Rep repair powder and liquid. Cures in about an hour, even in cold storage and low temperatures.

8 options

DECORATIVE BROADCAST MEDIA



ProFlake / ProQuartz / ProMica / ProStone Broadcast Media

Decorative broadcast media for ProREZ resin systems: ProFlake chip blends (Standard, Mica and Stone series), ProQuartz coloured quartz in 25-A and 40-S grades, ProMica and ProStone.


COATINGS & RESINS



Decostone

Natural stone aggregate for ProPoxy UVR stone-embedded floors.

PIGMENTS & COLOR



ProColor WB Colorants

Water-based colourant line in 10 standard colours for ProREZ waterborne epoxies and urethanes, including ProThane WB.

10 options

CLEANERS & STRIPPERS



ProClean B-100 & ProCryl Cleaner

ProClean B-100 biobased cleaner and degreaser, and ProCryl Cleaner, the MMA monomer solvent and cleaner.

ARDEX
Building tomorrow

ARDEX Americas

Floor preparation, patching and installation systems.

10 PRODUCT LINES

ARDEX is the prep and repair backbone: moisture control and primers, patching and repair mortars, and the self-leveling underlayments and toppings that give a floor a flat, bondable start.

COATINGS & RESINS



ARDEX Feather Finish & Skimcoats

Self-drying cement-based skimcoat and patching underlayments for feather-edge repairs and designer floor finishes.



ARDEX Moisture Control, Primers & Preparation Epoxy

MC Rapid moisture control system, P 51 primer, EP 2000 preparation epoxy and E 25 emulsion. Now including VB 100 moisture vapor barrier, P 4 pre-mixed primer and P 82 Ultra Prime.

5 options



ARDEX PC-T Polished Concrete System

PC-T self-leveling polished concrete topping with PC-10 lithium densifier and PC Finish protection.

5 options



ARDEX Repair Mortars & Concrete Dressings

Trowel-grade repair mortars, concrete patch and dressings for horizontal, vertical and overhead repairs. Now including BACA bonding and anti-corrosion agent, ERM exterior ramp mortar, FDX full-depth and TRM transportation repair mortars.

9 options




ARDEX Self-Leveling Underlayments & Toppings

Self-leveling underlayments and polishable concrete toppings, including K 521, K 530, K 301 and V 1200. Add SD-T self-drying wear-surface topping and ARDIPEG self-leveling pins.

8 options

DENSIFIERS, SEALERS & GUARDS




ARDEX CG & R54 Sealers

CG Concrete Guard high-performance sealer and R54 gloss and matte sealer systems with primer.

5 options

COLOR — DYES, STAINS, TINTS & FLAKE



ARDEX PANDOMO System & CC Color Concentrates

The PANDOMO system ARDEX Americas offers in the US: W1 decorative finishing compound for walls and ceilings, colored with PANDOMO CC Color Concentrates and protected with PANDOMO Impregnation. (The PANDOMO floor compounds are not sold in the US.)

24 options

JOINT FILLERS & REPAIR



ARDIFIX & ARDISEAL Joint Repair

Low-viscosity rigid polyurethane crack repair and fast-setting flexible joint filler in cartridges and kits.

FLOOR PREPARATION



Self-Leveling Underlayments — Full Range

The rest of the ARDEX self-leveler range: K 15, K 13, K 10, V 1000, V 1300, K 22 F, K 34 LIGHTWEIGHT, TL 2000, LU 100 and K 60 ARDITEX.

10 options



SD-P Patching Family & Skimcoats

SD-P, SD-P RAPID and SD-P LT self-drying trowelable underlayments, plus SKM, GPS, FORTI FINISH and FEATHER FINISH XF skimcoats.

7 options

Classic Coatings Systems

Concrete stains, sealers, cleaners and overlay systems.

4 PRODUCT LINES

Classic Coatings Systems covers the decorative side — stains, sealers, overlays and cleaners for concrete that has to look as good as it performs.

COATINGS & RESINS



Classic Overlays

Resurfacing and overlay systems, including EZ Coat, epoxy, quartz and decorative flake products. Adds Micro Topping Bond, Elite Texture Coat 62, EW2 2-part water-based epoxy and EZ Tint colour packs.

5 options

DENSIFIERS, SEALERS & GUARDS



Classic Sealers

Protective sealers in wet-look, matte and satin finishes, including polyurethane acrylic and Armor 2K sealers, plus a densifier and anti-slip additive. Adds the Pro-Seal 2000 and Pro-Seal 5000 lacquer sealers and PT30 Primer.

11 options

COLOR — DYES, STAINS, TINTS & FLAKE



Classic Stains

Nano, semi-transparent, traditional and acid concrete stains. FX Nano, Nano-Hybrid and FX2 Armor stains and Simple Stain concentrates.

5 options

CLEANERS & STRIPPERS



Classic Cleaners

Concrete cleaners, degreasers and surface-prep etchers. Classic Stripper, Super Eco-Etch and Super Eco-Etch Concentrate.

AMERIPOLISH®
architectural concrete products

Ameripolish

Concrete color, densifiers, sealers and polishing chemistry.

28 FEATURED PRODUCTS · 19 PRODUCT LINES

Ameripolish built its name on concrete color and polishing chemistry: dyes, densifiers, sealers and guards, plus the SmartFloor pad system for polishing and daily maintenance.



EZ Etch

Opens the concrete to prepare it for penetrating agents Safe for interior and exterior environments Biodegradable, low odor, and non-flammable Can be used safely on new or restoration construction, industrial facilities, commercial spaces, food packaging facilities, and residential areas. 200-400 sq. ft per gallon



EZ-Kut

Speeds up the time spent on initial cut on hard, dense concrete Helps with exposing large aggregate faster than dry-only, or standard wet methods Extends the life of diamond tooling Unique dry method avoid the hassle of slurry 200-400 sq. ft per gallon



Oil Ingester

Safely Removes oil stains from most surfaces Stops oil from continually wicking to the surface Does not damage colorants, sealers, or stain protectors Works best above 55 degrees Fahrenheit and with regular applications 400-600 sq. ft. per gallon




PCA

Improves cure by retaining slab moisture High-penetrating, non-film forming Forms hydrophobic barrier to increase stain repellency Improves scratch and abrasion resistence Helps reduce efflorescence and minimizes dust for healthier indoor air quality Replaces traditional cure & seal products on new concrete 1,000—1500 sq. ft. per gallon



PG-7K

Fast-setting, high strength cement that fills in small cracks, pinholes, and surface irregularities Increases durability, gloss, and distinction of image on most floors Readily accepts Ameripolish Dyes Easy to use 2:1 mix ratio 5,000—7000 sq. ft. per kit



Strip & Clean

Grind free sealer removal Formulated to specifically remove 3DSP and other guard type products Safely remove improperly installed “guard” type products Ideal for preparation prior to any dye application 400-600 sq. ft. per gallon



Classic Dye

Solvent-based mixes with Ameripolish Colorsolve and is VOC compliant Colors penetrate the surface and never wear off Will not grind off during resin stages of the polishing process Coordinate with Ameripolish edge tints for a seamless wall to wall floor solution For indoor use only 400-700 sq. ft. per gallon



Surelock Dye

Solvent-based mixes with Ameripolish Colorsolve and is VOC compliant Colors penetrate the surface and never wear off Will not grind off during resin stages of the polishing process Coordinate with Ameripolish edge tints for a seamless wall to wall floor solution For indoor use only 400-700 sq. ft. per gallon



Colorsolve

Leaves no or very little residual dye on surface saving time and cleaning on dye expense Doubles the coverage rates of concrete dyes Lower evaporation rate allows the use of Ameripolish micro fiber mop, saving time on taping and masking Allows concrete dyes to be applied at higher grit levels such as 800 or 1500 grit for color enhancement or refurbishing 1000 sq. ft. a gallon




Edge Tint

Available in 22 Ameripolish classic colors Creates uniform edges ad borders to eliminate edge work Resist most oil, grease, and food stains 800-1000 sq. ft. per gallon



OS Integral Color

Does not alter mix properties Maintains original strength Colorfast in outdoor settings



Ameripolish Dye Color Chart



Penetrating Agent Plus

Improves dye penetration Minimizes surface residue and reduces material waste Very easy to use container, just add 4 oz. to a premixed gallon of dye Extends the drying time of Ameripolish solvent-based dyes Can be used on most cementitious surfaces Ideal for very hard dense concrete where normal dye will not penetrate



Surelock Dye

Mixes with water or Ameripolish Colorsolve and is VOC compliant Consistent, rich penetrating color with UV stabilizers to resist fading Optionally can be used with 3D densifiers to chemically bond with concrete Liquid concentrate eliminates 3 hour wait to dissolve dye required by other products For indoor use only



Ameripolish Color — Finished Floor Example



Ameripolish Edge Tint Color Chart



2D PL

Fast setting, designed for porous concrete Ideal for new or existing concrete Multi-silicate to penetrate varying densities of concrete Hardens the wearable surface of porous concrete Contains stain resistant chemicals to help prevent penetration of stains Minimizes dust for healthier indoor air quality 600-800 sq. ft. per gallon




3D HS

Ideal for new or existing concrete Hardens deep within the slab to improve durability even after grinding Contains UV stabilizers to help protect color from fading Enhances polished color, gloss, and clarity Contains stain-resistant chemicals to help penetration of stains Minimizes dust for healthier indoor air quality 600-800 sq. ft. per gallon



3D HSL

Hardens deep within the slab to improve durability even after grinding Contains UV stabilizers to help protect color from fading Enhances polished color, gloss, and clarity Ideal for new construction, existing concrete and diamond burnishing polish



Eco Hard MS

Ideal for new or existing concrete Great for dustproofing Contains 30% solids Enhances polished color, gloss Minimizes dust for healthier indoor air quality 250-300 sq. ft. per gallon



Eco Hard MS Plus

Ideal for new or existing concrete Great for dustproofing Contains 40% solids Enhances polished color, gloss Minimizes dust for healthier indoor air quality 250-300 sq. ft. per gallon



3DSP E

Readt to use(RTU) UV stabilizers help protest against fading Creates water-resistant barrier to prevent staining, etching, and protect color 3D SP is a color enhancer for polished concrete floors with dye Contains 3D densifier properties to aid in hardening and dust proofing 2000-2500 sq. ft. per gallon



AquaShield

Ideal for use on any concrete or masonry surface indoor or outdoor Extremely long lasting Water based and fast drying Lox VOC and non-flammable 400-2000 sq. ft. per gallon



DNS-400

Ideal for indoor and outdoor use Low VOC Added mildew and UV protection Oil and chemical resistant Perfect for sealing



Graffiti Guard

Ready to use (RTU) Non-hazardous Creates barrier to prevent unwanted contaminants from adhering to the surface Easily remove graffiti after it has been applied to the surface with the minimum of a cold/warm water pressure washer Protects from soot and smog in urban areas Low odor, non-flammable, VOC compliant



PSE Paver Sealer Enhancer

Breathable barrier prevents staining and seals out moisture Protects color from UV degradation Non-yellowing finish will not peel, crack, blister, or blush Environmentally safe, Low VOC 300-600 sq. ft per gallon



SR2 Stain Resistor

Non-topical penetrating sealer VOC exempt, nonflammable Treated surfaces breath and do not trap moisture Excellent stain repellency for residential, commercial, and even industrial applications Extreme hydrophobic and oleophobic characteristics for maximum stain protection 3,000-5,000 sq. ft. per gallon



SR2 Stain Resistor WB

Non-topical penetrating sealer VOC exempt, nonflammable Treated surfaces breath and do not trap moisture Excellent stain repellency for residential, commercial, and even industrial applications Extreme hydrophobic and oleophobic characteristics for maximum stain protection 2,000-3,000 sq. ft. per gallon

Ameripolish in the Field





Product Lines — Ameripolish

DENSIFIERS, SEALERS & GUARDS



Ameripolish 3D HS Densifier

Hybrid silicate densifier with three silicate molecule sizes; ready to use for new or existing polished concrete.

5 options



Ameripolish 3D HSL Densifier

Low-solids hybrid silicate densifier formulated to penetrate tight, hard-troweled concrete caps.

5 options



Ameripolish 3D SF Densifier

Ready-to-use densifier from the Ameripolish 3D line, stocked from 1-gallon jugs to 55-gallon drums.

5 options



Ameripolish 3D SP Stain Protector

Breathable stain protector for polished concrete; also stocked in the enhanced 3D SP E formula.

10 options



Ameripolish EZ-Kut Grinding Agent

Grinding aid for the wet-grinding stage of polished concrete, stocked in sizes up to 55 gallons.

5 options



Ameripolish SR2 Stain Resistor

Penetrating stain resistor for polished concrete, stocked in standard, water-based (WB) and SR2 Plus formulas.

11 options



Ameripolish X-Link Sealers

Sealer line for concrete and cementitious surfaces; X-Link E (WL) pairs with ColorJuice E exterior colorant.

10 options

COLOR — DYES, STAINS, TINTS & FLAKE



Ameripolish Classic Dye

Solvent-based penetrating dye for polished concrete; 24 stock colors in sample, quart, gallon and 5-gallon packs.

98 options



Ameripolish ColorJuice E

Water-based, UV-stable exterior concrete colorant in 14 transparent colors; two-part system with separate hardener.

45 options



Ameripolish Edge Tint

Two-part acrylic colorant for edges and borders that are hard to grind; coordinates with Classic dye colors.

25 options



Ameripolish SureLock Dye

Pre-dissolved liquid dye concentrate with UV stabilizers; mixes with water or ColorSolve for polished concrete.

74 options

CLEANERS & STRIPPERS



Ameripolish Rejuvenating Cleaner

Maintenance cleaner concentrate for polished concrete floors, made for use with the SmartFloor maintenance pad system.

POLISHING & BURNISHING PADS



Ameripolish G-Series Burnishing Pads

Burnishing pads in three grades (G1, G2, G3) for high-speed burnishing of polished concrete floors.

30 options



SmartFloor GPR Pads

Composite resin abrasive polishing rings in numbered steps, sized for planetary grinders and power trowels.

70 options



SmartFloor Hand Grind Pads

5-inch hand grinding and polishing pads in numbered steps for edges, corners and detail work.

10 options

SURFACE PREPARATION & REPAIR



Ameripolish PG-3 Grout Coat & Spall Repair

Rapid-set two-part polyurea for broken control joints and spall repair.

COATINGS & RESINS



Ameripolish MVB & Polyaspartic 85

MVB moisture vapor barrier epoxy primer and Polyaspartic 85, Ameripolish's high-solids UV-stable polyaspartic topcoat for flake and aggregate systems.

COLOR



Ameripolish OS Integral Color & PolyColor

Integral colour for cementitious overlays in 18 stock colours, plus PolyColor concentrated colour packs for Ameripolish resin systems.

MAINTENANCE



SmartFloor Maintenance System

SP Clean & Shine pads and SmartFloor Daily Maintenance (Blue) and Restoration (Orange) pads with CRA diamond inserts, for use with the Rejuvenating Cleaner system.

EZChem

Metallic epoxy systems, stains and decorative coatings.

13 PRODUCT LINES

EZChem makes metallic epoxy systems and decorative coatings — epoxy and polyurea systems, stains and sealers aimed at floors that get noticed.

COATINGS & RESINS



EZ-100 Epoxy System

High-gloss, high-build 100% solids epoxy system in standard, fast-cure, high-build and low-viscosity versions. Now including EZ-100 Vertical, the high-gloss epoxy formulated for vertical surfaces.

5 options



EZ-100 MVB Moisture Vapor Barrier

Moisture vapor barrier epoxy primer system, including fast-cure and ultra-fast-cure versions for damp concrete.



WB Epoxy

Water-based epoxy coating, high gloss, low VOC and fast drying at 55% solids.

COLOR — DYES, STAINS, TINTS & FLAKE



Acetone Color Dyes

Solvent-soluble concrete color dyes for use with acetone, in earthtone and primary color shades.

21 options



Color Additives for Acrylic Sealers

Color Bomb tint additives for acrylic sealers, in standard and high-visibility safety colors.

20 options



EZ-Poly Polyaspartic & Urethane Topcoats

Polyaspartic and two-component urethane topcoats in gloss, satin and matte for durable, UV-stable finishes.

7 options



Metallic & Shimmer Epoxy Pigments

Metallic and shimmer pigment powders added to epoxy for unique decorative color effects.

44 options



Super Clear Acrylic Sealers

Solvent and water-based acrylic sealers and cure-and-seal products in low-sheen to high-gloss finishes.

14 options



Universal Epoxy Pigments

Universal liquid pigments for coloring epoxy coatings, including standard and safety color ranges.

20 options



Universal Overlay & Stamp Mixes

Single-component cementitious overlays for spray, broom, trowel and stamped textures, indoors and out.

7 options



Water-Based Concrete Stains

Water-based Enviro and Earthtone concrete stains in a wide range of translucent decorative colors.

38 options

CLEANERS & STRIPPERS



Cleaners, Degreasers & Strippers

Citrus degreasers, coating strippers and concrete cleaners for surface prep and maintenance.

15 options

DENSIFIERS, SEALERS & GUARDS



EZChem Super Decorative Sealer

High-sheen siloxane-modified MMA sealer, 25% solids — a premium decorative finish distinct from the Super Clear acrylic line.

TORGINOL

Torginol

Polymer flake, quartz and decorative color systems.

6 FEATURED PRODUCTS · 10 PRODUCT LINES

Torginol is color for resinous floors: polymer flake in more than 150 blends, quartz granules, pigments, mica and glitter — the decorative media that give a floor its finish.




Torginol Polymer Flake

Polymer FLAKE enhances the appearance and texture of high-performance resinous floors. Choose a pre-designed blend or build your own from 150+ solid colors, in chip sizes from 1″ down to 1/32″ — including Hybrid, Marble, Insignia and UV+ flake.



Torginol Quartz

QUARTZ aggregate protects resinous floors and adds durability, chemical and abrasion resistance, and anti-slip texture. 40+ colors in two grades — 40-S broadcast grade and 25-A trowel grade — in pre-designed blends or custom mixes.



Torginol Pearlescent Pigment

Pearlescent PIGMENT mixes into high-performance coatings to create marble and metallic effects — use single colors or combine them for artistic patterns. Sparkle Additive adds glitter impact.




Torginol Mica

Natural MICA media in 7 colors and 4 sizes. Use it alone for a dramatic metallic look, or blend a small percentage into FLAKE for a natural stone accent.



Torginol Glitter

GLITTER accents for resinous floors: random-cut glitter mixed into FLAKE blends for a bold accent, or hex-cut glitter worked into the topcoat for added sparkle.



Torginol Texture Additives

TEXTURE additives add anti-slip grip or knock down topcoat sheen, in three chemistries: Polypropylene (nearly invisible in clear coats), Aluminum Oxide (heavy-duty industrial grip), and Clear-Coated Quartz.

Product Lines — Torginol


COATINGS & RESINS



Torginol Quartz ColorGranules

The full Quartz ColorGranules range: QB blends including Crystal, Matrix, Twilight, Davenport, Marina and Ruby alongside Biscuit, plus solid colours in 40-S broadcast and 25-A trowel grades.

COLOR — DYES, STAINS, TINTS & FLAKE




Torginol ColorFlake Blends

Polymer color flake blends for epoxy and resinous floors, stocked in 1/8-inch and 1/4-inch chip sizes. The full Signature blend range in 1/4″ and 1/8″, with 1″, 1/2″, 1/16″ and 1/32″ sizes and 150+ solid colours for custom blending available.

16 options


COLOR — FLAKE



Torginol Hybrid Flake


Hybrid flake collections: Stone (12 blends), Terrazzo (18 blends) and Mica-Enhanced (26 blends).

56 options



Torginol UV+ Flake & Insignia

UV+ Flake, UV-stable blends for outdoor and sun-exposed floors, and Insignia team and brand-colour blends.




Torginol Marble Flake

Variegated stone-look Marble Flake in the F-series colours, including Basalt, Schist, Garnet and Obsidian.

10 options

COLOR — PIGMENTS



Torginol Metallic ColorPigments

The full P-series metallic pigment range, around 30 colours for metallic epoxy floors.

30 options

COLOR — MICA



Torginol Natural MicaFlakes

Natural mica flakes in 7 colours and 4 sizes for decorative resin floors.

7 options

COLOR — GLITTER



Torginol GlitterFlakes & Accents

Polyester glitter flakes and blend accents, random-cut for blends and hex-cut for topcoats.

SUPPLIES & CONSUMABLES



Torginol Texture Additives

Polypropylene, aluminum oxide and clear-coated quartz texture additives for slip resistance.



Torginol Samples & Fan Decks

Flake, Hybrid, UV+, Quartz and Pigment fan decks, display boards and individual samples.


Coval

Nano-technology sealers and high-performance coatings.

9 PRODUCT LINES

Coval's nano-technology coatings seal and protect concrete, stone, metal and vinyl with thin-film chemistry that holds up where conventional sealers wear through.

COATINGS & RESINS



Coval Concrete Coat & Primer


Thin-film, single-component clear coatings that covalently bond to concrete; primer and gloss coat system. Now in gloss, satin and matte finishes.

6 options



Coval Ultimate Top Coat

Single-component protective top coat for epoxy, terrazzo, polished and stained concrete surfaces. Now in gloss, satin and matte finishes.



Coval Vinyl Coat & Primer

Thin-film coating and primer for VCT, LVT and sheet vinyl, eliminating stripping and waxing. Now in gloss, satin and matte finishes.

5 options

DENSIFIERS, SEALERS & GUARDS



Coval Polished Concrete Sealer

Clear, thin-film sealer that penetrates polished concrete and terrazzo, resisting stains, acids and oils.

COATINGS & RESINS



Coval Anti-Graffiti Coat

Clear non-sacrificial anti-graffiti coating for signs, murals and painted surfaces.



Coval Metal Coat

Coval's covalent-bonding coating for metal, in gloss, satin and matte.



Coval Stone Coat & Primer

Stone Coat and Stone Primer for natural stone and masonry.

DENSIFIERS, SEALERS & GUARDS



Coval Natural Look Sealer & Bioactivate Sealer

Penetrating natural-look protection and the Bioactivate sealer.

SUPPLIES & CONSUMABLES



Coval Matting Agent & Sprayer System

Matting Agent for dialling down gloss, plus Coval's acetone-rated pump sprayers, pumps and nozzle kits.

5 options

Diamond Tec

Densifiers, sealers and concrete guards.

19 PRODUCT LINES

Diamond Tec is the tooling wall: diamond cup wheels, traps, blades and core bits, polishing and burnishing pads, and the chemicals that support them — in every bond and fitment we run.

DENSIFIERS, SEALERS & GUARDS




Densifier & Concrete Guard Sealer

Concentrated concrete densifier hardener and guard sealer for polished floors.

7 options


DIAMOND TOOLING



Diamond Blades & Tuck Pointers

Segmented and turbo diamond blades plus tuck pointers for cutting and mortar removal.

55 options



Diamond Cup Wheels

Segmented, swirl, arrow and ceramic cup wheels for grinding and surface preparation.

64 options



Fast Change Traps

Fast-change trapezoid traps and rounds in single and double segment configurations. Fitments include HTC EZ-Change, STI / PrepMaster, Scanmaskin and Terrco.

60 options



Lavina Traps

Trapezoid traps in Lavina fitment, single and double round or segment styles.

17 options



PCD Diamond Cup Wheels

PCD cup wheels that strip epoxy, glue and mastic coatings without loading.

11 options



Segment Grinding Wheels & Terrazzo Plugs

Pie-segment grinding wheels and terrazzo plugs for magnetic-plate floor grinders.

49 options

POLISHING & BURNISHING PADS



Dyna Burnishing Pads

Large-diameter diamond burnishing pads in multiple grits for final polishing passes.


40 options



Resin Polish Pads

Neon, Luxe and Rosex resin polish pads for high-luster finishes, wet or dry.

21 options



Vespa Polishing Pads

Diamond-impregnated burnishing pads for high-speed polishing and maintenance of concrete floors.

49 options



Wet & Wet/Dry Polishing Pads

Resin-bond diamond polishing pads for wet and wet/dry grinding and polishing.

59 options


DIAMOND TOOLING



Diamond Core Bits — Azul, Sonico, Maxim & Verde


Segmented diamond core bits for angle grinders and core rigs, Supreme and Pro grades. Named lines: Azul Segmented and Turbo-Seg, Sonico and Sonico Red, Excel Turbo-Seg, Maxim Wet (CB-C) and Verde Crown.

20 options




Duro Resin-Filled Cup Wheels

Duro resin-filled diamond cup wheels — Duro Diamond, S-Seg, Trapezoid and 12 Seg — for the grinding-to-polishing transition on concrete and stone.



Vacuum-Brazed Cup Wheels


Vacuum-brazed cup wheels in 4″ and 5″, flat and curved, for hand grinders.



Cap Cutters & Star Cap Cutters

Cap Cutters and Star Cap Cutters in hard, medium and soft bonds for the major fast-change fitments, including Lavina and EDCO.

11 options



Bush Hammers

Bush hammer tools and plates for Lavina and HTC EZ fitments and hand grinders, with replacement rollers and bearings.

9 options



Ceramic Cup Wheels

Ceramic cup wheels from very coarse to very fine for edge work and finishing.

10 options

COATINGS & RESINS



Diamond Tec Chemicals

Diamond Tec epoxies and polyaspartic kits, T-Bond patch repair, flexible joint sealant, liquid pigments and the ULTRA-KRETE self-levelling topping.

32 options

POLISHING & BURNISHING PADS



Electroplated Pads & Flap Discs

Electroplated polishing pads and flap discs for concrete and stone.

6 options

Seymour Midwest

Striping, marking and surface-prep tools and supplies.

19 PRODUCT LINES

From Seymour Midwest's 2026 distributor price guide — 665 priced items in our system: the Midwest Rake and Structron coating-tools range, plus the Wooster covers, brushes, frames and poles Seymour distributes. Every family below is stocked or orderable through Argenbright One, with sizes, blade materials and handle options on request.

SUPPLIES & CONSUMABLES



Gloves & Safety

Solvent-resistant and disposable gloves for resin and coating work.

6 options



Midwest Rake Aluminum Rollers

Ribbed aluminum rollers and stub rollers for consolidating and finishing coatings, including fiberglass and resin work.



Midwest Rake Application Squeegees

Application squeegee frames and complete tools, including EasySqueegee frames and notched-blade assemblies, for spreading resinous coatings.

23 options



Midwest Rake CAM Gauge Rakes

CAM and wire gauge rake frames with interchangeable cam sets for applying coatings and overlays at set depths.

45 options

Midwest Rake Crack Tools

Crack cleanout tools and U-crack squeegees for prepping and filling cracks before coating.

5 options



Midwest Rake Mixers

Helix, oval paddle, and Jiffy-style mixers with hex or round shafts for mixing coatings and resins.

13 options



Midwest Rake Roller Covers

Pro-grade woven shed-resistant roller covers, including Assurance covers and Wooster covers, for epoxy and urethane application. Adds the Pro Tiz foam cover for smooth work.

36 options



Midwest Rake Scrapers

Stainless steel floor scrapers with gusset bracing and aluminum handles, plus replacement blades, for removing debris and residues.



Midwest Rake SpeedSqueegee

One-piece and heavy-duty SpeedSqueegee tools with color-coded blades for applying coatings at controlled wet film thicknesses.

73 options



Midwest Rake Spiked Rollers

Spiked rollers with sharp or blunt tines for releasing trapped air from freshly applied coatings and overlays.

40 options



Midwest Rake Spiked Shoes

Polypropylene and steel spiked shoes and replacement spikes for walking on freshly applied coatings without disturbing them.

41 options



Midwest Rake Squeegee Blades

Replacement EPDM, neoprene, rubber, silicone, and foam squeegee blades, flat or notched, sold as strips and rolls.

177 options



Midwest Rake Trowels

Cove, finishing, round-end, and V-notch trowels, plus Midwest and Ultimate trowels, for applying and finishing coatings.

32 options

Structron Handles

Structron SuperHandle fiberglass extension handles with threaded ACME tips and ProGrip handles for Midwest Rake tool heads.

32 options



Wooster Brushes

Wooster chip brushes and gray bristle brushes for coating work — solvent-proof chip brushes from 1″ to 4″.

9 options



Wooster Frames & Trays

Wooster roller frames and trays — ACME, Magikage and Sherlock frames, Big Ben and Wide Boy 18″ setups, trays, liners and bucket grids. Adds the 19″ Mini-Koter frame, 4″ Painter's Solution and Super/Fab covers and the Painter's Choice roller kit.

18 options



Wooster Roller Covers

Wooster roller covers for coatings — Pro/Doo-Z, Super Doo-Z, Epoxy Glide, Mohair Blend and Micro Plush, plus Mini-Koter minis and floor coater covers, 4″ to 18″. Adds Pro/Doo-Z in 3/16″ nap and Painter's Solution in 3/4″ nap.

36 options



Wooster Sherlock Extension Poles

Wooster Sherlock extension poles, including GT Convertible models — 2′–4′, 4′–8′ and 6′–12′ reaches.

6 options



Midwest Rake Roller Gauge End Caps

Snap-on roller-end gauges that set film thickness for urethane cement, overlays, epoxies and vapour barriers — low, medium, high and thick-film depths.

6 options

The Brushman

Brushes, rollers, brooms and applicators.

14 PRODUCT LINES

The Brushman is applicators: roller covers, frames, brushes and poles — the everyday tools that put coatings on the floor, in every nap and size the work calls for.

SUPPLIES & CONSUMABLES



Chip Brushes

White china bristle chip brushes, including solvent-proof and double-thick styles, for coatings, touch-up, and cleanup.

13 options



Concrete Finishing Brushes

Concrete finishing brushes in poly and synthetic fills for adding a broom finish to fresh concrete.

6 options



Floor Squeegees

Steel-frame floor squeegees with serrated, flat, sponge, or Buna rubber blades for moving water and spreading coatings.

28 options



Floor Sweeps & Brooms

Fine, coarse, and all-purpose floor sweeps, street brooms, and upright brooms for shop and jobsite cleanup.

35 options



Paint & Foam Brushes

Polyester and china bristle paint brushes plus foam brushes with wood handles for coatings and touch-up work.

15 options



Poly Tarps & Pallet Covers

Blue and brown poly tarps plus pallet covers for covering materials, equipment, and curing concrete.

34 options



Roller Covers

Poly, phenolic, and synthetic-core roller covers in multiple widths and naps for paints, epoxies, and coatings. Adds shed-resistant covers in 3/4″ nap and the tan looped 9″ cover.

47 options



Roller Frames & Extension Poles

Standard, jumbo, and heavy-duty roller frames plus Wooster Sherlock extension poles for coating application. Adds the 12″-neck mini roller frame.

11 options



Rope

Manila, twisted nylon, polypropylene, and truckers rope in assorted diameters and lengths for jobsite tie-down use.

16 options



Scratch Brushes

Wood-block scratch brushes with steel or stainless fill, with and without scrapers, for surface prep and cleaning.

7 options



Wood Handles

Replacement wood handles with tapered, threaded, or metal-threaded tips for brooms, squeegees, and floor tools.

16 options



Wooster Roller Covers

Wooster Pro/Doo-Z, shed-resistant, and Epoxy Glide woven covers for smooth, lint-controlled coating application.

16 options

ROLLER COVERS



Microfiber Roller Covers

Solvent-resistant microfiber covers on polypropylene cores — the smooth-topcoat cover, in 9″ and 18″ and three naps.

6 options

SUPPLIES & CONSUMABLES



Trowels & Flooring Tools

Versablade and Injecta interchangeable-notch trowel systems, high-carbon pointing, margin and gauging trowels, and 5-in-1 scraper tools with blades.

HTS — Hi-Tech Systems

Concrete treatment, protection and repair systems.

4 PRODUCT LINES

Hi-Tech Systems builds concrete treatment, protection and repair systems — coatings, polyurea joint fillers and the ProMender repair line.

COATINGS & RESINS



Epoxy, Polyaspartic & Urethane Coatings

100% solids epoxy, water-based epoxy, polyaspartic and moisture-cure urethane coatings with moisture barrier. Systems start with the PMR-100 100%-solids epoxy primer or PMR-60 WB water-based primer.

9 options



PE Series Polyurea Joint Fillers

Semi-rigid, self-leveling polyurea joint fillers (PE-45 to PE-90) in kits and 22 oz cartridges. Now itemised per grade, including PE-80, with the Freezer Blend additive for installs under 30 °F.

DENSIFIERS, SEALERS & GUARDS



Densifiers, Sealers & Guards

Lithium, sodium and blended silicate densifiers plus penetrating sealers, acrylic sealer and high-gloss guard.

9 options

JOINT FILLERS & REPAIR



TX & ProMender Repair Materials

Rapid-set polyurethane repair materials and gels for cracks, spalls and damaged control joints. Now including TX-1, TX-PMF and TX-UV.

8 options

Vantage

Supplier lines we stock — ask us for the full range.

1 PRODUCT LINE

Vantage is a supplier line we stock for floor-coating application — covers, frames and spiked tools. Ask us for the full range.

COATINGS & RESINS



Vantage Floor Coating Application

Vantage's floor-coating application set: Floor Coating Master covers (GM-7018A 18″ × 3/8″, GM-1838E economy 18″ × 3/8″ and the economy 18″ × 3/4″), the 18″ roller frame, spike roller and spike shoes.

6 options

WELLSTONE


Wellstone

Densifiers and concrete guards.

2 PRODUCT LINES

Wellstone densifiers and concrete guards — a short, focused line for hardening and protecting polished concrete.


DENSIFIERS, SEALERS & GUARDS



Wellstone Densifiers

Colloidal and lithium densifiers in 5-gallon pails, 55-gallon drums and 275-gallon totes.

6 options



Wellstone GuardPlus+

GuardPlus+ floor guard in 5-gallon pails, 55-gallon drums and 275-gallon totes.

Aramsco
A FAMILY OF COMPANIES

Aramsco

Coatings, chemicals, diamond tooling and jobsite supplies.

19 PRODUCT LINES

Aramsco is the broad-line distributor in this book: coatings and concrete chemicals, joint fillers, diamond tooling, safety and remediation supplies — the jobsite depth behind the specialty brands.

SUPPLIES & CONSUMABLES



Surface Protection

X-Guard builder board, kraft flooring paper and poly sheeting for jobsite protection. Adds X-Guard FR rigid panels and Surface Shields Builder Board with Liquid Shield.

5 options



Tapes, Rags & PPE

RaptorGrip tapes, contractor bags, rags, coveralls and safety glasses. Adds RaptorGrip yellow and white poly tape and 3″ duct tape, and X-Guard zipper tape and red Danger / Do Not Enter barricade tapes.

15 options

COATINGS & RESINS



PurEpoxy Epoxy Systems


Aramsco's own PurEpoxy line: PE-100 100% solids epoxy (clear and pre-tinted), PE-100 Supraflow metallic epoxy and PE-VRM vapour-reduction-membrane epoxy.



PurEpoxy PP-S85 Polyaspartic


PP-S85 hybrid polyaspartic topcoat in 2-gal and 10-gal kits — the fast-cure finish for PurEpoxy flake, metallic and solid-colour systems.

DENSIFIERS, SEALERS & GUARDS




Stonecrete NSS Densifiers

Stonecrete NSS lithium silicate and hybrid WCL densifier concentrates, 1-gal and 5-gal.



Stonecrete NSS Cleaners & Guards

Cleaner Conditioner Densifier concentrate and the RTU Concrete Guard Densifier, 1-gal and 5-gal, plus Hydro-Force Viper Grout & Concrete Sealer.



Prosoco Consolideck LS

Consolideck LS lithium silicate densifier, 1-gal (case of 4), through Aramsco.

CLEANERS & STRIPPERS



Sentinel Mastic & Adhesive Removers

Sentinel 747 low-odour mastic remover, 626 carpet and sheet-vinyl adhesive remover, and 909 soy mastic remover.

JOINT FILLERS & REPAIR



Metzger/McGuire Joint Fillers

MM-80 and MM-80P semi-rigid epoxies, Spal-Pro RS 88, RSF and 2000 polyureas, Edge-Pro 80/90 and Rapid Refloor.


7 options



Metzger/McGuire Mixers & Guns


Static mixers and dual cartridge guns for the Spal-Pro and Edge-Pro cartridge systems.

DIAMOND TOOLING



Easy Edge Ceramic Cup Wheels

Ceramic cup wheels for edge work, 5″ and 7″ in 30–400 grit.



Diamax Cyclone Cup Wheels

Cyclone flat resin and turbo cup wheels, plus the Cyclone PCD cup wheels for coating and mastic removal.



STI FL-07 Polishing System

STI's FL-07 3″ polishing pads, Terrazzo wet pads and 10S bolt-on diamond segments.


POLISHING & BURNISHING PADS



Diamond by Gorilla Burnishing Pads


Diamond-impregnated burnishing pads in 200–3000 grit, plus the Heat burnishing pads.

DIAMOND TOOLING



Stonecrete Tooling

Stonecrete trapezoid segments and the Premium Hybrid and Resin D/W pad system that pairs with the Stonecrete chemicals.



VMC & EDCO Diamond Tooling

VMC Conquer resin bonds, Bullseye metal bonds and threaded cup wheels, and EDCO diamond cup wheels — a second-source tooling range.

SUPPLIES & CONSUMABLES



Renegade Can Liners

Renegade contractor can liners in the trade sizes: 33″×39″, 38″×58″, 40″×46″, 40″×48″ and 43″×48″.

6 options



ShieldTech PPE & Coveralls

ShieldTech 30 and 35 coveralls in the full size range, Defender nitrile gloves and CPE shoe covers.



Brightline Applicator Mops

Brightline 18″ microfiber scrubbing mops (the standard densifier and dye applicator), fringed dust mops and tube mops.

LAVINA by SUPERABRASIVE

Lavina by Superabrasive

QuickChange diamond tooling, pads and accessories for Lavina machines.

12 PRODUCT LINES

Lavina by Superabrasive is the grinding platform: S7 and Elite grinders, power trowels and dust extractors, backed by the full QuickChange tooling and pad range that keeps them cutting.

Lavina by Superabrasive machines are gathered in the Machines section of this catalogue.

DIAMOND TOOLING



Lavina QuickChange Metal Bond Tools

Genuine Lavina QC metal bonds: Yellow (soft), Grey (medium), Red (hard), Gold (extra hard) and the White, Black and Blue Cap Cutters, in 14–120 grit, single and double segment.



Lavina QC PCD Tools

QuickChange PCD trapezoids with and without sacrificial bars, plus button PCDs, clockwise and counter-clockwise.



Lavina Bush Hammers & Carbide Scrapers

QC bush hammers and carbide scrapers with replaceable square carbide blades.



Lavina Hybrid Tools — Calibra, HD Copper & Corsa

Transitional hybrids: Calibra ceramic discs, HD Copper discs and rings, and Corsa hybrids in 50, 100 and 200 grit.

POLISHING PADS



Lavina NATO Resin Discs

NATO resin polishing discs, 3″ and 4″ velcro, wet or dry.



Lavina V-HARR Pads

V-HARR premium dry polishing pads, felt-backed, 5″ to 13.5″ in 50–3500 grit, plus Quick Change V-Harr.



Lavina Waffel Pads

Waffel polishing pads in 7″, 9″, 10.63″ and 14″, plus Quick Change Waffel.



Lavina HD Resins, 3-Step & QC Trapezoid Pads

HD resin discs for 30″+ grinders, the 3-Step polishing system and Quick Change trapezoid resin pads.



Lavina Maintenance Pads

SupraShine (Heavy Duty, High Performance and Maintenance), ShinePro and Diama-Clean diamond-impregnated pads, plus Diamond Screens for the ECO polishing system.

TOOLING & ACCESSORIES



Lavina Trowel Shine Tooling

Tooling and holders for Lavina power trowels: 10.63″, 13.2″ and 14″ holders and pans running Lavina metals, copper rings and pads.



Lavina Holders, Plates & Adapters

QC tool holders, foam and velcro plates, security plates and adapter plates for the other major grinder fitments.



Lavina Edger Tooling & Accessories

7″ edger rings (continuous-rim metal, 3N copper, HP resin) for the Lavina 7, plus the Lavina tool box, Mohs scratch test kit and comfort kit.

CPS

Concrete Polishing Solutions — diamond tooling, dust control and chemicals.

18 FEATURED PRODUCTS · 7 PRODUCT LINES


Concrete Polishing Solutions covers the polish process end to end — grinders, dust control, diamond tooling and the chemistry that runs with them.

CPS machines are gathered in the Machines section of this catalogue.

11” Mag plate


11” Velcro Plate 11” Recessed Plate 11” Hook Plate For Model 320’s




12” Mag plate

12” Velcro Plate 12” Recessed Plate 12” Hook Plate For Model 290’s



9” Mag plate

9” Velcro Plate 9” Recessed Plate 9” Hook Plate For Model 250’s





21” Mag Plate For model 210

21” Resin Plate



17” Mag Plate

For model 170 17” Resin Plate




GPPT0077Dust Skirt

for G-320 & G-290 GPPT0285Dust Skirt for G-250 GPPT0648Dust Skirt for G-210 GPPT0632Dust Skirt for G-170 GPPT0662Dust Skirt for Bush Hammers

11″ Bush Hammer with Large Rollers

9″ Bush Hammer with Small Rollers Large Replacement Roller Small Replacement Roller








Medium Floor Line Premium Metal Bond Diamonds

MFL-Medium Floor Line 06 grit—Designed for deep course grinding surface prep and heavy stock removal up to 20 mils. MFL-Medium Floor Line 16 grit—For removal of coatings between 8 and 20 mils. MFL-Medium Floor Line 40 grit—For removal of coatings up to 12 mils thick. Can be used for the first step in grinding a rough concrete slab. MFL-Medium Floor Line 80 grit—Initial grind on new concrete. Also eliminates scratches from 40 grit metal bonds. Can be used to prepare for acid staining or thin mil sealants. MFL-Medium Floor Line 150 grit—Used to eliminate 80 grit scratches and prepare the floor for polishing.











3″ Black Series 10 Seg Medium Bond Diamonds







Average tooling speed on AQUA Hybrids is 4,800 – 5,600

Sq.ft. per hour 3″ AQUA Hybrid – 50 grit—The first tool in our wet cutting system. 3″ AQUA Hybrid – 120 grit—The second tool in our wet cutting system and can jump to our Sektor tools after this step. 3″ AQUA Hybrid – 400 grit—The final step in our 3 step wet system leaves the floor with a consistent satin sheen. Burnish and use our CPS ARMOR Surface Shield to enhance the shine and give years of stain protection.









Average tooling speed on MACH Hybrids is 3,000 Sq.ft. per hour

3″ MACH 0 – 20 grit—he MACH 0 is an aggressive tool for hard concrete, beginning grinding steps, or after initial removals. 3″ MACH 1 – 40 grit—The MACH 1 is an aggressive tool for medium to hard concrete. 3″ MACH 2 – 80 grit—MACH 2 is for medium to hard concrete for use on new concrete or to follow MACH 1. 3″ MACH 3 – 100/120 grit—MACH 3 follows MACH 2 and is used on medium to hard concrete. 3″ MACH 3P – 100/120 grit—A transitional tool to be used after MACH 2 and/or MACH 3 to prepare the surface for Sektors tools.







Average tooling speed on SEKTORS is 6,500 Sq.ft. per hour

Sektor Blue – 200 Grit—Light, honed finish Sektor Red – 400 Grit—Matte Finish Sektor White – 800 Grit—Low sheen finish Sektor Yellow – 1500 Grit—High-sheen finish Sektor Green – 3000 Grit—High-gloss finish CPS SEKTORS Polishing Tools are hands down the best resin based polishing tools on the market. They work on any floor provided you have removed all scratches prior to using them and the floor is at a honed (100/120 grit) finish. The use of a hogs hair pad as the tool backer adds flexibility as well as cleans up swirl marks as you go.












XACT PADS

MTSP0273 11″ Orange 60 Grit MTSP0274 11″ Black 100 Grit MTSP0275 11″ Blue 200 Grit MTSP0276 11″ Red 400 Grit MTSP0277 11″ White 800 Grit MTSP0278 11″ Yellow 1500 Grit MTSP0279 11″ Green 3000 Grit



MTSP0235

– 9″ HH (Hogs Hair) Sektor Drive Pad (5 per box) MTSP0229- 11″HH (Hogs Hair) Sektor Drive Pad (5 per box) MTSP0239 – 12″HH (Hogs Hair) Sektor Drive Pad (5 per box) MTSP0244 – 21″ Bling Pad MTSP0245 – 24″ Bling Pad MTSP0215 – 27″ Bling Pad



DSQ2 Densifier

Coverage Rate | 400-600 sq.ft per gallon CPS DSQ2 is a hybrid densifier, with waterproofing properties for the purpose of hardening surfaces. DSQ2 penetrates the surface of the concrete, suspending molecules in the concrete, and filling the pores fully to increase stain resistance, hardening, and prevent dusting. DSQ2 improves the performance of surfaces, and helps surfaces resist effects of traffic wear and weathering.



Surface Shield Topical Sealer

A quick-drying chemical hardener, sealer, and densifier for concrete floor meant to extend the life of concrete floors. Increases durability and decreases maintenance.



Armor-Pel Penetrating Sealer

A premium, highly-concentrated, quick-drying water and oil repellent system for the preservation and protection of concrete surfaces.



CPS ARMOUR GROUT

Available in 2 and 5 Gallon Kits

Cup Wheels

5” or 7” Threaded/ Non Threaded Arrow Segs 12 Seg 24 Seg T Seg PCD Multiple types and configurations

Premium 5” & 7” Honeycomb Resin Pads Available in grits 30-3000 Can be used Wet or Dry Flexible 5” or 7”

Crack Chasing Blades 5” or 7” Threaded/ Non Threaded Continous / Segmented












30

#50







Product Lines — CPS

DENSIFIERS, SEALERS & GUARDS




Armor Chemicals

Armor densifier, surface shield, spall and grout repair, and cleaning chemicals.

10 options

DIAMOND TOOLING



SYNC Metals & Hybrid Pucks

SYNC trapezoid and round metals with hybrid resin pucks in all grits and bonds. SYNC bonds are itemised as SC Blue (soft), MC Black (medium), HC Gold (hard) and XC Red (extremely hard).

10 options



Tooling Holders & Sektor System

Steel and plastic tooling holders, driver pads and Velcro rings for Sektor heads.

27 options



XactPrep Tooling

XactPrep Claw, Ripper and Trax tools plus tungsten scrapers for coating removal. Now including the Xact Prep Cap Crusher.

6 options

POLISHING & BURNISHING PADS




Spinflex & Bling Floor Pads

Spinflex diamond-impregnated pads and Bling burnishing pads for maintenance polishing.

13 options

DIAMOND TOOLING



CPS PCD Series

Standalone PCD tooling for coatings removal — trapezoids and pucks, clockwise and counter-clockwise, bolt-on or magnetic-plate fitment.

SURFACE PROTECTION



Duro Board

Synthetic rigid floor-protection board, 4′ × 8′ × 1/4″ — shields polished concrete, stone and terrazzo from forklifts, pallet jacks and jobsite traffic. Sold in packs of 10.

Bartell Global


Trowel blades, float pans and diamond tooling.

8 PRODUCT LINES

Bartell Global is surface-prep iron: power trowels, grinders and scarifiers, with the blades, pans and tooling they consume.

Bartell Global machines are gathered in the Machines section of this catalogue.


TROWEL BLADES & PANS



Grizzly Trowel Blades & Float Pans


Combination, finishing and float blades for every trowel size, and float pans from 24″ to 60″.

DIAMOND TOOLING



SlideMAG Metal Bond Tooling

SlideMAG metal bonds in Purple, Orange and Green bonds, 16–80 grit, single and double segment.



SlideMAG Removal Tooling

The WHITE coating-removal series, BLACK specialty series, PCD and TCD tooling, carbide scrapers and bush hammers.

POLISHING PADS



iShine Resin Tooling

iShine Evolution resin tooling: Series 1 3″ pucks, Series 2 Flex Pads and Series 3 RD Discs, plus hybrid transitionals.

FLOOR REMOVAL TOOLING



Terminator Scraper Tooling

Blades and tooling for the Terminator ride-on scrapers, on the common holder system across all models.

DIAMOND TOOLING



Diamond Blades & Core Bits


Captain Series (hard materials), Specialist Series (asphalt and abrasive) and General Purpose blades, the Zero Fox segmented, turbo and tile blades, and diamond core bits.



Grinding Discs, Cup Wheels & Blocks

Bartell grinding discs, cup wheels and blocks for surface preparation.

SCARIFIER TOOLING



SPE Scarifier Tooling & Shot

Flail cages with TCT cutters, friction cages and drums for SPE scarifiers, plus steel shot for SPE shot blasters.

PORTAMIX

Portamix

Mixing stations, paddles, liners and self-leveling accessories.

5 PRODUCT LINES

Portamix makes mixing behave: Mega Hippo mixing stations, paddles, liners and self-leveling accessories that keep pours consistent, batch after batch.

MIXING PADDLES



Mega Hippo Helix Paddles

TW225 half-batch (2–3 bags) and TW225D full-batch (4–6 bags) helix paddles for the Mega Hippo.

PARTS & ACCESSORIES

Canister Liners, Lids & Parts

PH705 replaceable canister liners, PH718 hinged and PH723 chute lids, PH706 canisters and F-Series / X-Series wheel sets.

MIXING PADDLES



Pelican & Badger Paddles & Parts

Jetstream TK200P and Pelican TM180 paddles, Badger TWP160 paddle and PB705 liner, PP650 motor mount and dust extraction cuff.

APPLICATION ACCESSORIES



Gauge Rakes, Skids & Pins

Notched Gauge Rake 24″ and Deep Sled Gauge Rake RDS600, replacement skids and deep sled pins — for every self-leveling job, not just Portamix owners.



Squid Water Doser

Portamix's Squid water doser for consistent, measured mix water.

FORTE TOOLS

Forte Tools

Diamond tooling, parts and consumables in every major fitment.

19 PRODUCT LINES

Forte Tools supplies dust extractors, scrubbers and diamond tooling — F-Series dust control, a deep tooling bench in every major fitment, and the parts and consumables that keep them running.

Forte Tools machines are gathered in the Machines section of this catalogue.



6-Hole Trap Diamond Tooling

Six-hole trapezoid traps in double bar configuration for bolt-on plates.

16 options



Diamond Cup Wheels

Threaded and non-threaded segmented cup wheels in 5-inch and 7-inch sizes. Adds the 5″ and non-threaded 7″ Red Arrows, PCD cup wheels and the purple V-wheel.

77 options



Forte Trap Diamond Tooling

Forte-fit trapezoid traps in soft, medium and hard bonds, single and double bar. Now including extra-extra-soft bond bodies.


37 options



Lavina-Style Diamond Tooling

Lavina-fit trapezoid tooling in round and bar segments across all bond hardnesses. The full T-series range runs 6/8# to 120/150# — single and double bar, button and PCD styles.

93 options



New Grind Diamond Tooling

New Grind fitment tooling with button and V-segment profiles in four bonds.

28 options



Transitional Tooling

Ceramic transitional cup wheels plus metal hybrid and ceramic resin discs.

20 options

POLISHING & BURNISHING PADS



Honeycomb Dry Polishing Pads

Velcro honeycomb resin pads for dry polishing in a full grit sequence. Full grit run from 30# to 3000#.

23 options

DIAMOND TOOLING

Diamond Core Bits

Blue Diamond and Black Diamond core drill bits for concrete coring. Now priced per diameter across the Blue (CBP) and Black (CBU) series.

81 options

Corner Repair Tool

6mm segment corner repair tool, soft bond stainless steel, for edge and corner detail work.

ACCESSORIES

Cup Wheel Wrench

12″ wrench sized for Forte cup wheels.

F-Series Extractor Consumables

HEPA filters and conical prefilters for Forte's own F18, F26 and F36 extractors, plus dust bags and Longopac bagging refills.

DIAMOND TOOLING



ALIEN Cup Wheels & Dust Shrouds

The ALIEN grinding cup wheel (20 grit, 5″ and 7″) and Forte dust shrouds for 5″ and 7″ angle grinders. Plus the FC-DS cuff that connects cup wheels to the shrouds.

ACCESSORIES

Vacuum Parts & Accessories

Hose kits, wands, floor brushes, bag holders, camlock and Y adapters, flap and elbow kits, covers and clamps for the F-Series dust extractors.

18 options

Skid Plates

Clip, pin and Gorilla-style skid plates in steel and stainless, 6″ to 14″.

19 options

Forte Sundries

18″ roller covers with end caps, wood cutting blades and the Creepy Crawly floor crawler.

DIAMOND TOOLING



Redi-Lock Diamond Tooling

Redi-Lock fitment segments — extra-soft bond single ovals, plus PCD removal segments.



Vacuum Brazed Diamond Blades

Vacuum brazed blades for metal cutting and grinding, 4.5″ to 14″.

8 options

Core Bit Segments

Replacement core bit segments in 24mm widths for re-tipping CBU and CBP core bits.

6 options

POLISHING & BURNISHING PADS



Resin Polishing Pads & Discs

3″ resin polishing pads and flat resin discs with Velcro backs in a full grit sequence, plus threaded Velcro backer pads in 5″ and 7″.

14 options

KÄRCHER

Kärcher

FloorPro detergents, brushes, pads and wear parts for Kärcher scrubbers.

6 PRODUCT LINES

Kärcher is floor care at scale: scrubbers from compact to ride-on, the FloorPro chemistry and wear parts behind them — and a rental fleet ready to deliver.

Kärcher machines are gathered in the Machines section of this catalogue.

DETERGENTS & CHEMICALS



FloorPro Industrial Detergents

Kärcher's own scrubber detergents: RM 69 Industrial Cleaner, RM 752 Intensive Deep Cleaner Extra and RM 754 Allround Deep Cleaner.



FloorPro Specialty Cleaners

RM 753 Fine Stoneware Cleaner, RM 755 Shine Cleaner, RM 776 Tyre & Abrasion Marks Remover, plus RM 746, RM 780 and RM 784 Care Dispersion.

BRUSHES & PADS



Scrubber Brushes

Disc brushes (white, natural, red, black) and roller brushes sized to the Kärcher BD and B ranges we sell and rent.



Scrubber Pads & Drive Boards

Disc pads in five grades, diamond pads for concrete and stone, melamine pads and pad drive boards including STRONG boards.

PARTS & ACCESSORIES



Squeegee Blades & Wear Parts

Linatex, PU oil-resistant and natural-rubber squeegee blade sets, parabolic squeegee bars and side blades, matched per machine.

Batteries, Chargers & Dosing

AGM and lithium batteries and chargers for the Bp ranges, DOSE dosing kits, the DS 3 dosing station, Home Base kits and KIK keys.

Argenbright ONE

Our own Argenbright ONE diamond tooling and accessories.

8 FEATURED PRODUCTS

Argenbright ONE is our own label — diamond tooling and accessories we put our name on.

Argenbright ONE Diamond PCDs

Argenbright ONE Diamond PCD'S Argenbright ONE Demolishers-1/2 Round PCD with 16 Grit Arrows Argenbright ONE PCD– 1/4 round PCD with 16 grit wear bar Argenbright ONE Double Bar Diamonds Available in Soft, Medium, or Hard Bond Grits Available: 16/18, 30/40, 60/80, 100/120 Single Seg or Double Seg Available Incredible Life out of segments Very large diamond to matrix ratio New technology used on diamond matrix









Argenbright ONE Diamond

Hybrid Resins 3" Velcro Pucks Available Grits 50,100,200,400 Incredible life out of segments New Technology used on matrix Wet/Dry Use Argenbright ONE Phenolic Resins Grits Available: 400,800,1500,3000 Dry Only Incredible Life out of segments



Argenbright ONE Honeycomb

Metals Designed specifically for wet concrete polishing and surface preparation only. Life expectancy of 10,000 square feet in ideal conditions. These tools work best with cutting agent. Fits on all brands of power trowels and walk behind concrete grinding machines. Grits: 30,50,100,200,400

Argenbright ONE Press Sintered Metals

3" Press Sintered Metals Designed specifically for wet concrete polishing and surface preparation only. Life expectancy of 30,000 square feet in ideal conditions. These tools work best with cutting agent. Fits on all brands of power trowels and walk behind concrete grinding machines. Grits: 100,200,400,800









Argenbright ONE Refine Tool

3” Refine Tool Semi Metal Designed for maximum surface refinement, these diamond tools have the precise matrix of copper and resin along with the optimum diamond powder concentration to ensure the perfect surface texture (Ra) when measured with a surface texture meter. Long life and extreme performance set these tools apart from the



Argenbright ONE Phenolic Resin Pucks

Argenbright ONE 3” Phenolic Resin To be used DRY EXCLUSIVELY and typically for the polishing steps in a polishing sequence. Our phenolics have been designed to maximize the refinement when polishing concrete, stone and terrazzo floors. Works best when clarity and gloss are important. Grits: 800,1500,3000 Grits: 50,100,200,400.



Argenbright ONE Ceramic

3” Professional quality, 3″ Wet & Dry Diamond Ceramic Polishing Pads deliver fast, efficient removal of scratches. Additionally, Ceramic Pads provide super fast & high luster polishing results. Made with high grade ceramic matrix for for high performance & maximum life. Innovative pad design enables effective dispersion of concrete dust, debris & slurry. Use on natural stone, terrazzo & concrete floors. Argenbright ONE 3” 4 Seg Round Puck Professional quality, 3″Diamond Floor Grinding Wheels with innovative four segment design, deliver fast grinding & honing action on terrazzo & concrete floors.deliver fast grinding & honing action on terrazzo & concrete floors. 3″ Diamond Floor Grinding Wheels feature the highest quality diamonds & regional specific bond for superior performance & increased longevity. Balanced for smooth, vibration free operation. Use on domestic & foreign Magnetic Plates & Floor Machines.



Argenbright ONE Diamond

3” Pucks Professional quality, 3″ & 4″Diamond Floor Grinding Wheels deliver fast grinding & honing action on terrazzo & concrete floors. 3″ & 4″Diamond Floor Grinding Wheels feature the highest quality diamonds & regional specific bond for superior performance & increased longevity. Balanced for smooth, vibration free operation. Use on domestic & foreign Magnetic Plates & Floor Machines.

Machines

Grinders, scrubbers, dust extractors, power trowels and mixers — every machine in one place.

93 MACHINES · ALL QUOTED ON REQUEST

The machines from every brand in this catalogue, gathered into one section. The tooling, chemistry and parts that keep them running stay in each brand's own chapter.

Lavina by Superabrasive — Elite Grinders



LAVINA POWER TROWELS LP36GE

Lavina ride-on power trowel, 999cc Kawasaki FX1000V Blue Sky engine, 80" working path, 8 x 13" QuickChange metal tool holders

Call for pricing and availability



LAVINA POWER TROWELS

LP30EHV Lavina ride-on power trowel, Electric High Voltage 80" working path, 8 x 13" QuickChange metal tool holders

Call for pricing and availability



LAVINA POWER TROWELS LP30V

Lavina ride-on power trowel, Electric High Voltage 80" working path, 8 x 13" QuickChange metal tool holders

Call for pricing and availability



LAVINA ELITE L14E

Lavina 14E, 13.2" single-head grinder, 1ph x 115V, 2.45hp, 16amp, 400-1000rpm

Call for pricing and availability



LAVINA ELITE L14EU

Lavina 14EU, 13.2" single-head grinder, 1ph x 200-240V, 2.95hp/2.2kw, 12amp, 400-1000rpm

Call for pricing and availability



LAVINA ELITE L16E

Lavina 16E, 16" grinder, 3 x 7" heads, 1ph x 115V, 2.45hp, 16amp, 300-500rpm

Call for pricing and availability



LAVINA ELITE L16EU

Lavina 16EU, 16" grinder, 3 x 7" heads, 1ph x 200-240V, 2.95hp/2.2kw, 12amp, 300-900rpm

Call for pricing and availability



LAVINA ELITE 20 L20EB

Lavina 20 Elite Three Head 3x9"(225mm) Planetary Grinding and Polishing Machine 4HP(3kW) 1ph 200-240V 14 Amps width 20"(51cm)

Call for pricing and availability



LAVINA ELITE L20NEB

Lavina 20N Elite Three Head 3x9"(225mm) Planetary Grinding and Polishing Machine 7.5HP(5,5kW) 1 or 3ph 200-240V 30Amps width 20"(51cm)

Call for pricing and availability



LAVINA ELITE L20GEB

Lavina 20 Elite Three Head 3x9"(225mm) Planetary Grinding and Polishing Propane Machine with Kawasaki FS481 603cc

Call for pricing and availability



LAVINA ELITE L25LEHVB

Lavina 25L Elite HV Three Head 3x9"(225mm) Planetary Grinding and Polishing Machine 15HP(11kW) 3ph 380-480V 30Amps width 25"(66cm)

Call for pricing and availability



LAVINA ELITE L25REB

Lavina 25 Elite Remote Controlled Three Head 3x9"(225mm) Planetary Grinding and Polishing Machine 10HP(7,5kW) 1 or 3ph 200-240V 45Amps width 25"(66cm)

Call for pricing and availability



LAVINA ELITE L3213EB

Lavina 32 Elite Planetary Grinding and Polishing Machine 20HP(15kW) 3ph 200-240V 60Amps width 32"(81cm), 3 x 13" heads

Call for pricing and availability

Lavina S7 Grinders — The Current Series



LAVINA L20S7

20″ electric grinder from the current Lavina S7 series, with the new S7 frame and a sealed, dust-proof grinding head. 7.5 hp motor.

Call for pricing and availability



LAVINA L20GS7

20″ propane S7 grinder. Kawasaki FS481V engine (603 cc, 18 hp), updated planetary drive, sealed grinding head and easy integrated weights.

Call for pricing and availability



LAVINA L25S7

25″ electric S7 grinder with a 10 hp motor (1 or 3 phase, 200–240V) and a completely sealed, dust-proof grinding head for longer service life.

Call for pricing and availability



LAVINA L25GKS7

25″ propane S7 grinder with a Kohler PCV740 engine (747 cc, 24 hp) — plenty of torque for coating removal and prep. Also offered with the Kawasaki FX600V as the L25GS7.

Call for pricing and availability



LAVINA L30S7

30″ electric S7 grinder with a sealed, dust-proof grinding head and a wide 30″ work path for production grinding and polishing.

Call for pricing and availability



LAVINA L30GKS7

The contractors' favorite 30″ Lavina grinder in the S7 generation — Kohler PCV740 (747 cc, 24 hp), sealed grinding head and redesigned planetary drive. Also offered with the Kawasaki FX600V as the L30GS7.

Call for pricing and availability



LAVINA L31S7

31″ electric heavy-duty S7 grinder with a 20 hp motor, extra weight and torque for fast coating removal, surface prep and polishing.

Call for pricing and availability



LAVINA L31GS7

31″ propane S7 grinder built for heavy-duty grinding — Vanguard 35 hp engine, updated planetary drive and the option to add weight. Now also offered with the Kawasaki FX1000 as the L31GFXS7.

Call for pricing and availability

Lavina Dust Extractors



LAVINA V16E

Wet and dry electric vacuum (115V or 230V) with a stainless steel body, automatic overfill shutoff and a washable hydrophobic filter — the slurry vac of the Lavina range.

Call for pricing and availability



LAVINA V20E

Compact electric dust extractor for grinders 20″ and under (115V or 230V), with a conical filter, HEPA filtration and Longopac bagging.

Call for pricing and availability



LAVINA V25E

Mid-size electric dust extractor for 25″ and 30″ grinders (115V or 220V). Improved conical filter with new seals, three motors, Longopac bagging.

Call for pricing and availability



LAVINA V32E

The largest electric Lavina extractor, built for 32″ grinders (230V/480V). Four-stage dust collection with an integrated pre-separator, conical filter and HEPA H13; Longopac bagging.

Call for pricing and availability



LAVINA V20G-X

Compact propane dust extractor for grinders 20″ and under. Two motors, main filter plus HEPA H13, heavy-duty construction. The V20G-X is in our rental fleet.

Call for pricing and availability



LAVINA V25GE

Superabrasive's most popular vacuum system, usually paired with 20″, 25″ and 30″ grinders. Propane power (Kawasaki FS481V), strong suction, Longopac bagging.

Call for pricing and availability



LAVINA V32GE

The largest propane Lavina extractor, ideal for 32″ grinders. Kawasaki FX600V, four-stage dust collection with integrated pre-separator, conical filter and HEPA H13; up to 470 cfm airflow; Longopac bagging.

Call for pricing and availability



LAVINA LV650

The newest Lavina dust extractor, with a built-in pre-separator that captures the large dust particles before they reach the filters.

Call for pricing and availability



LAVINA PSE — Dust Pre-Separator

Sits between the grinder and the dust extractor and captures 95% of the dust before it reaches the extractor's filters — extending filter life and cutting cleaning intervals.

Call for pricing and availability

CPS — Grinders & Dust Control



G-170 ELECTRIC

Lightweight and narrow frame Single Phase power requirement are perfect for residential and light commercial applications Easy to operate planetary grinder 150 lbs of grinding pressure 278 lbs total weight

Call for pricing and availability



G-210 ELECTRIC

Single-head grinder is an easy-to-operate planetary grinder great for residential jobs Light weight and narrow frame 300 lbs total weight

Call for pricing and availability



G-250 ELECTRIC

Perfect for residential and light commercial applications 398-451 lbs grinding pressure 25 inch grinding width

Call for pricing and availability



G-250 PROPANE

Easy operation in tight spaces Designed for heavy-duty grinding on smaller scale projects Multi-speed option gives peak productivity

Call for pricing and availability



G-290 PROPANE

Designed for heavy-duty grinding and removes aggressive coatings Three-head design enable the machine to roll with the contours of the floor Attached weights for added grinding pressure

Call for pricing and availability



G-290

electric Designed for heavy-duty grinding and removes aggressive coatings Three-head design enable the machine to roll with the contours of the floor Attached weights for added grinding pressure

Call for pricing and availability



G-320D ELECTRIC

Easily grinds through mastic and coatings for easy surface prep Utilize a unique three-head design that contours to the surface of the floor 20 HP motor for more torque and power

Call for pricing and availability



G-320D PROPANE 13

gallon gravity feed water tank Removable lower plate allowing easy maintenance without complete machine disassembly Well balanced machine for reduced operator fatigue

Call for pricing and availability



G-320 XHD PROPANE

Faster Heavy Stock Removal Increased head pressure More torque Vapor Draw Propane

Call for pricing and availability



ROVER VACPAC

Reduces operator exhaustion Newly designed Swivel Pin System for VacPac platform Planetary gears for 300% more torque LED light on both front and back of grinder Full view of floor from comfortable ride-on platform seat Easy operation with a centrifugal clutch

Call for pricing and availability



CAT-4 ELECTRIC

The CPS CAT 4 Electric Dust Extractor is one of the most powerful 110 volt vacuums in the industry. It has extremely high water-lift rating which helps with power of suction. The OSHA compliant HEPA filter has three times more usable surface area than standard industry dust extractors. It also utilizes Longopac continuous bagging system for zero airborne dust change changing bags.

Call for pricing and availability



CAT-5

electric The CPS CAT 5 Electric Dust Extractor with distribution box for running your electric floor grinder from one 480 volt source. The CAT 5 primary filter with non-stick coatings help to prevent filter blinding and motor overheating. It also has a unique backwash system where 100% of backwash goes directly to the bag. The OSHA compliant HEPA filter has three times more usable surface area than standard industry dust extractors. It also utilizes Longopac continuous bagging system for zero airborne dust change changing bags.

Call for pricing and availability



CAT-5

propane The CPS CAT 5 Propane Dust Extractor with a primary filter with non-stick coatings help to prevent filter blinding and motor overheating. It also has a unique backwash system where 100% of backwash goes directly to the bag. The OSHA compliant HEPA filter has three times more usable surface area than standard industry dust extractors. It also utilizes Longopac continuous bagging system for zero airborne dust change changing bags.

Call for pricing and availability

B-270 Propane Burnisher

27-inch propane high-speed burnisher for final gloss on polished concrete.

Call for pricing and availability



CAT Dust Extractors

CAT 3 and CAT 5 dust extractors plus wet vacuum for grinder dust control.

Call for pricing and availability



G-Series Floor Grinders

G-170 through G-320 XHD planetary grinders in electric and propane models.

Call for pricing and availability

Bartell Global



Predator 1800

Predator P1800 is the new high performance 18” 3-head planetary grinder designed and manufactured by Innovatech Products, so you can be assured of reliability, stability, and fast production rates. The 3-head planetary system has been designed for mobility. You can easily load and unload the grinder into a standard pickup truck by disconnecting the planetary head drive system. Reconnecting on the jobsite easy, ensuring a smooth and efficient grinding and polishing experience

Call for pricing and availability



Predator 2400

At Innovatech, our Predator line offloor grinder machines is designed to handle every size job imaginable with power, performance and durability. Our P-2400 model is the ideal choice for light commercial applications, providing just the right touch for all concrete floor grinder needs.

Call for pricing and availability



Predator 32nd

Eliminates swirl marks left by conventional grinding methods Direct drive system Multiple variations to get the perfect model Robust Construction Dust extraction port Dust-free when used with suitable dust control vacuum Large diameter wheels for excellent mobility and stability Removable weight to vary grinding pressure Simple adjustment to level to the floor surface Fully adjustable handle Accurate grinding of concrete surfaces

Call for pricing and availability



Predator 32ndx

The Predator P32NDX is the new high performance 32” 4-head planetary grinder designed and manufactured by Innovatech Products, so you can be assured of reliability, stability, and fast production rates. The 4-head planetary system has been designed to maximize stabilty and reduce vibration at operating speeds, ensuring a smooth and efficient grinding / polishing experience unlike no other. With the addition of the versatile weight package and the new drive system (NDX), the P32NDX is ready to handle the toughest grinding jobs and polish floors with ease utilizing our SlideMAG diamond tooling and iShine resin series.

Call for pricing and availability

HEPA Dust Collectors

HD1, HD2, HD3 and HD388 HEPA dust collectors for silica dust control.

Call for pricing and availability



Predator Planetary Grinders

Predator three-head planetary grinders from 20 to 30 inches, electric and propane.

Call for pricing and availability

SPE Shot Blasters & Dust Collectors

SPE self-propelled shot blasters from 9 to 20 inches plus matching dust collectors.

Call for pricing and availability

Terminator Ride-On Scrapers

Terminator ride-on floor scrapers in battery and propane models up to 55 HP.

Call for pricing and availability

The Bull Floor Stripper

The BULL self-propelled floor stripper with blades and chisels for removal work.

Call for pricing and availability

Forte Tools



20″ Lithium Ion Powered Auto Scrubber

Forte's lithium walk-behind scrubber: 24V/110Ah lithium battery, self-propelled, cleans up to 2,600 m²/h with 4–5 hours of runtime. 225 lbs; the battery carries a 3-year warranty.

Call for pricing and availability



22″ Dual Phase 220V Planetary Grinder

Forte’s planetary grinder for concrete grinding, surface prep and polishing — 22″ working width on 220V power.

Call for pricing and availability



F36 Dust Extractor Vacuum

The largest Forte dust extractor: HEPA filtration, conical main filter, jet-pulse filter cleaning and Longopac bagging for continuous dust control with big grinders.

Call for pricing and availability



F36-220V Dust Extractor Vacuum

The F36 dust extractor in a 220V configuration — HEPA filtration, conical filter, jet-pulse cleaning and Longopac bagging.

Call for pricing and availability



F26 Dust Extractor Vacuum

Mid-size Forte dust extractor with an Ametek motor, HEPA filtration, conical filter, jet-pulse cleaning and Longopac bagging.

Call for pricing and availability



F18 Dust Extractor Vacuum

The compact Forte dust extractor — HEPA filtration and jet-pulse cleaning in the smallest F-Series footprint, for edgers and small grinders.

Call for pricing and availability



Pre-separator

Sits between the grinder and the dust extractor to capture the bulk of the dust before it reaches the extractor’s filters.

Call for pricing and availability



Forte FTG20R-RM Rotary Grinder

Two-head 20″ rotary grinder, 220V single phase, with removable weighting.

Call for pricing and availability



F-Series Dust Extractors

F18, F26 and F36 dust extractors with HEPA filtration and conical prefilters.

Call for pricing and availability



Planetary & Rotary Grinders

22-inch planetary and 24-inch rotary grinders, 220V dual-phase capable.

Call for pricing and availability

Kärcher

COMPACT BATTERY SCRUBBERS

Compact battery scrubbers for small floors, shops and tight spaces.



BR 30/1 C Bp

Compact battery scrubbers for small floors, shops and tight spaces.

Call for pricing and availability



BD 30/4 C Bp

Compact battery scrubbers for small floors, shops and tight spaces.

Call for pricing and availability



BR 30/4 C Bp

Compact battery scrubbers for small floors, shops and tight spaces.

Call for pricing and availability



BR 35/12 C Bp

Compact battery scrubbers for small floors, shops and tight spaces.

Call for pricing and availability



BD 38/12 C Bp

Compact battery scrubbers for small floors, shops and tight spaces.

Call for pricing and availability

WALK-BEHIND BATTERY SCRUBBERS

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.



BD 43/25 C Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



BR 45/22 C Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



B 40 W Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



BD 50/50 C Bp Classic

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



BD 50/55 W Classic Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



B 50 W Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



B 60 W Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



BD 70/75 W Bp Classic

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



B 80 W Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors.

Call for pricing and availability



BD 80/100 W Classic Bp

Walk-behind battery scrubbers for daily cleaning of mid-size and large floors. The BD 80/100 W is in our rental fleet.

Call for pricing and availability

STEP-ON BATTERY SCRUBBERS

Stand-on battery scrubbers — ride-on speed with a walk-behind footprint.



Chariot 2 iScrub 20

Stand-on battery scrubbers — ride-on speed with a walk-behind footprint.

Call for pricing and availability



Chariot 2 iScrub 22 SP

Stand-on battery scrubbers — ride-on speed with a walk-behind footprint.

Call for pricing and availability



Chariot 3 iScrub 26

Stand-on battery scrubbers — ride-on speed with a walk-behind footprint.

Call for pricing and availability



BD 50/40 RS Bp

Stand-on battery scrubbers — ride-on speed with a walk-behind footprint.

Call for pricing and availability

RIDE-ON BATTERY SCRUBBERS

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.



BD 50/70 R Classic Bp

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 75/110 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 110 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors. The B 110 R is in our rental fleet.

Call for pricing and availability



B 150 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 200 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 220 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 250 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability



B 260 R

Battery ride-on scrubbers for warehouses, parking structures and the largest floors.

Call for pricing and availability

ROBOTIC BATTERY SCRUBBERS

Kärcher's autonomous battery scrubber — it maps the floor and cleans on its own.



KIRA B 50

Kärcher's autonomous battery scrubber — it maps the floor and cleans on its own.

Call for pricing and availability

Equipment Rental

Machines delivered to your job site — grind, polish, prep and clean.

Benefits of Rental

At Argenbright One, our goal is to be your top resource for your floor care projects. Equipment is a huge part of increasing the efficiency of your job, whether it is grinding, polishing, prepping, removing or just cleaning. Every job has specific needs, and every machine has different capabilities. Let us consult with you to recommend the appropriate equipment for your job. When choosing the tools you need, consider some of the benefits of rental:






- **No maintenance costs** — rental units are maintained by our factory-trained technicians
- **No capital expense** — pay in small increments only when you need the equipment
- **No transportation or storage** — let us bring the equipment to your and store it when it's not in use
- **Try before you buy** — take a rental unit out for a spin before committing to a purchase
- **Minimize downtime** — if your rental unit goes down we'll repair or replace it to keep you working
- **Long-term discounts** — our monthly rates can be discounted for rentals of 3 months or longer
- **Keep up with the latest technology** — upgrading your rental is easier than upgrading your cell phone

Call us today at (844) 776-7390 to inquire about our rental rates and used equipment pricing!

CONCRETE POLISHING – FLOOR PREP – SURFACE REMOVAL – JANITORIAL – ENVIRONMENTAL

Glossary

The language of the work — terms used in this catalogue, defined in plain words.

65 TERMS

Definitions drawn from the manufacturers' own published materials — the brands in this book — and written the way a contractor would say them.

A

Acid Stain — A colouring solution of acidic metallic salts. On concrete, the metallic ions react with the free alkali in the cement and form oxides, so the colour is a permanent chemical reaction in the surface, not a coating sitting on top of it.

Aggregate Exposure — How much stone shows in a ground or polished floor. The classes run from a cream polish (no aggregate showing) through fine aggregate ('salt and pepper'), medium aggregate, to large aggregate, and are set by how coarse the first grinding step is and how much surface it removes.

Anti-Graffiti Coating — A clear protective coating that puts a thin barrier between graffiti and the surface under it, so paint and marker wash off instead of soaking in. A non-sacrificial coating is not consumed by cleaning and lasts through multiple cleanings.

B

Bond Hardness — How hard the material holding a diamond tool's segments is, matched to the concrete: the bond is chosen opposite to the slab — soft bonds for hard concrete, hard bonds for soft concrete — so worn diamonds shed and fresh ones keep cutting. Concrete hardness is gauged with a Mohs scratch test.

Broadcast (Full, to Rejection) — Spreading decorative flake or quartz into a wet basecoat until no more will stick — the floor takes all it can hold and the excess is swept off after curing. A full broadcast hides daily wear better than a partial scatter and gives the most uniform colour.

Burnishing — Running a high-speed burnisher over a floor to heat and buff a topical guard into the pores, producing a polished look quickly. A burnished finish resembles polished concrete but is less durable, because the shine lives in the coating rather than in the stone. Burnishing pads are also the daily-maintenance pads used to keep that shine.

Bush Hammer — An aggressive profiling tool with rotating carbide rollers that fracture the surface. It removes coatings and heavy contamination fast and can leave a profile as deep as CSP 6; rollers are replaceable as they wear.

C

Can Liner (Mil & Micron) — Trash and contractor bags are gauged two ways: low-density liners are measured in mils (thousandths of an inch) and suit heavy, wet or sharp loads; high-density liners are measured in microns and are the economical choice for lighter, dry waste.

Carbide Scraper — A grinder tool with replaceable tungsten carbide blades for fast removal of thick glue, mastic and elastomeric coatings. It is the tool to reach for when bush hammers or metal-bond diamonds gum up or smear the coating instead of cutting it.

Casting Epoxy — A low-viscosity epoxy formulated for deep pours, as opposed to a coating epoxy, which is made for thin, crystal-clear finish films. The two are not interchangeable — each is built for its pour depth.

Concrete Dye — Colour that penetrates into the concrete slab itself rather than filming over it. Because the colour is in the surface, dyes made for polished and exposed concrete are extremely long-lasting and do not wear off with daily traffic.

Concrete Surface Profile (CSP) — A numbered scale (CSP 1–10) describing how rough or textured a prepared concrete surface is — from nearly flat to very aggressive. Coating and overlay manufacturers specify the CSP their product needs to bond, and tools like bush hammers are rated by the CSP they produce.

Covalent Nano Coating — An ultra-thin, single-component coating whose nanotechnology bonds covalently — at the molecular level — to the substrate in one application. The bond gives it exceptional adhesion and abrasion resistance on concrete, stone, metal, vinyl, epoxy and painted surfaces while adding almost no film thickness.

D

Densifier — A reactive silicate hardener (lithium silicate is the common modern type) that soaks into concrete and reacts with it to form calcium silicate hydrate in the pores. It hardens the surface, stops dusting, raises abrasion resistance and lets a polished floor take a clearer, glossier shine.

Diamond-Impregnated Pads — Maintenance pads carrying fine diamond abrasive in the pad itself. Used wet or dry on auto scrubbers and burnishers, they clean, remove light stains and restore sheen as part of daily floor maintenance, without chemicals doing the work alone.

Disc & Roller Brushes — The two scrubbing heads on a scrubber. Disc brushes suit smooth floors and everyday maintenance cleaning; roller brushes press down with up to ten times the contact pressure and deep-clean structured or heavily soiled floors.

E

Epoxy — The long-standing standard resin for seamless floors: a two-part system (resin and hardener) known for protecting and strengthening concrete. Epoxy primers are prized for wetting, penetrating and bonding to the slab; epoxies build the base of most resinous systems in this book.

F

Fan Deck — A swatch tool that fans out a manufacturer's colour range — flake blends, quartz, pigments — on leaves or sample boards, so a customer can pick a colour from the real material instead of a screen or a printed chart.

Float Pan & Trowel Blades — Power-trowel attachments for the two stages of finishing. A wide float pan (or wide float blades) goes on first to flatten and compact the surface; narrower finish blades follow to close and smooth it. Combination blades split the difference and can do both stages.

Floor Scraper (Stripper) — A machine that drives a flexible steel blade under bonded floor coverings to strip them — sheet vinyl, linoleum, bonded carpet, tile and membranes. Walk-behind models suit small or tight jobs; self-propelled and ride-on scrapers give the production rates large removal work needs.

Forced-Action Mixer — A mixer whose canister stays still while a blade or paddle rotates inside it, forcing the material around at a relatively slow rate, lifting and folding as it stirs. The action suits heavy, low-slump mortars and grouts.

G

Gauge Rake — A rake with adjustable depth shoes (the CAM gauge) that applies coatings, toppings and self-leveling materials at a precise, uniform depth — settings run from about 1/32 inch to 1-1/2 inches. Its radial edge holds that thickness even as the handle angle changes.

Glitter Flake — Polyester glitter pieces blended into a flake floor for sparkle — typically about 3% of the total flake weight. Because sharp pieces can stand up in the film, a grout coat and a light sanding knock them down before the final topcoat.

Grind and Seal — Grinding concrete to a low grit (usually 70–100), exposing the aggregate the specification calls for, then applying a topical sealer. The gloss comes from the sealer, not from the concrete — a faster, more economical finish than full polishing.

Grinding — The first mechanical step of floor preparation: a grinder's horizontally rotating diamond discs level the floor, remove existing coatings and leave a finely textured surface ready for coatings or for the finer steps that follow.

Grit Progression — The sequence of ever-finer diamond grits used across a floor, each step removing the scratches the previous one left. The working rule is to roughly double the grit at each step — 30, 70, 120, 200, 400, 800, 1500 and beyond.

Grout Coat — A filler coat with two jobs in this book: on polished concrete, a fast-setting cement grout fills pinholes, small cracks and surface irregularities before final polishing; over a broadcast floor, a coat of about 10–16 mils buries sharp flake or glitter edges and is lightly sanded before the topcoat.

Guard — A protective, sacrificial wear layer applied over polished concrete. Unlike a penetrating sealer, a guard sits on the surface — it can change the floor's appearance and some guards form a non-breathable film — and it takes the traffic wear so the floor underneath doesn't.

H

Honing — The refining steps after grinding, switching to finer diamond tools (roughly 100–400 grit resins) to smooth out grinding marks. A honed finish is matte to low-sheen, with slight clarity of reflection.

Hybrid (Transitional) Tooling — Diamond tooling that bridges the jump between metal-bond grinding and resin-bond polishing, removing metal scratches without leaving its own deep marks. Hybrid families (copper, resin-metal mixes) run wet or dry depending on the series, including under power trowels.

Hybrid Flake — A flake blend mixing sizes — mostly small 1/16-inch flake with a share of 1/8- or 1/4-inch — blended to resemble polished concrete or terrazzo while keeping the performance of a resinous floor.

I

Impregnation — A silane/siloxane surface protection that soaks into coloured or polished surfaces rather than filming over them: water-repellent, breathable, colour-intensifying, with a satin sheen and strong abrasion resistance.

J

Joint Filler (Semi-Rigid) — A 100%-solids, two-component epoxy or polyurea, hard but not brittle, pumped into control and construction joints to support the joint edges under hard wheels and heavy traffic so they don't spall. Polyurea versions can be placed in freezer-cold temperatures and returned to service in about 30 minutes.

M

Mastic Remover — A stripper chemistry for old flooring adhesives, in two families: soy-based removers that lift white, yellow and even black asbestos mastic with little or no odour, and solvent-based removers for asphalt adhesives and tough residues where more bite is needed.

Mega Hippo Mixing Station — Portamix's mixing station: a stationary canister with a fast-spinning helix paddle that beats air and lumps out of materials like self-levelers, overlays and epoxies so their polymers release properly. Unlike a forced-action mixer, it also transports the mix and pours it where it's needed.

Metal Bond Tooling — Diamond tools whose segments are held in a metallic bond. They are the grinding-stage tools — the aggressive end of the process, used to level floors and remove coatings before hybrids and resins take over.

Metallic Pigment — Fine mica particles coated with pigment and suspended in clear epoxy. The particles catch light at different angles, giving the floor an iridescent, three-dimensional look of depth and motion; the pigment is mixed into the resin before the hardener is added.

Micro-Topping & Overlay — Thin, polymer-modified cement coatings troweled or sprayed over existing concrete to restore it to a like-new surface — a micro-topping is a self-bonding, single-component version that can be stained or coloured integrally. Overlays resurface without tearing out the slab.

Mixing Paddle — The helix that does the mixing in a mixing station, sized to the batch — a smaller paddle for 2–3 bag mixes, a larger one for 4–6 bag mixes. It should stay fully submerged in the material for a proper mix.

MMA (Methyl Methacrylate) — A reactive resin flooring material: 100% solids, very fast-setting (about an hour), and able to cure in cold as low as -20°F. Its speed makes it a go-to for commercial and industrial floors that can't stay closed.

Moisture Vapor Barrier (MVB) — A high-solids epoxy coat that reduces water vapour transmission through a slab. Laid down before underlayments, toppings or coatings, it suppresses excessive moisture emissions — the full moisture-mitigation systems handle readings up to 100% relative humidity — so the finished floor can bond and stay bonded.

N

Nap (Roller Cover) — The pile thickness of a roller cover — from 3/16 inch up to 1-1/4 inches across woven, knit and mohair-blend covers. Nap is matched to the coating and the surface: shorter naps for smooth surfaces and thin films, longer naps for rough surfaces and heavier materials.

P

PCD Tooling — Polycrystalline diamond tooling — the coatings-removal specialist. PCD segments shear off epoxy, glue, mastic, paint and thick coatings that would clog or smear ordinary diamond tools; they come in clockwise and counter-clockwise versions and mount by bolt-on or magnetic plates.

Penetrating Sealer — A sealer that soaks into polished concrete instead of filming over it, leaving the surface looking natural, with its appearance and texture unchanged, and letting moisture vapour keep escaping — the floor can breathe.

Polishing — The final mechanical steps of a polished floor: progressively finer diamond pads refine the honed surface until it reflects clearly, with medium to high sheen. Unlike grind-and-seal, the gloss is in the concrete itself.

Polyaspartic — A fast-reacting resin (a polyurea relative) used for rapid return to service: it cures quickly, resists yellowing in sunlight (UV stable) and stands up to chemicals, which makes it a common topcoat over epoxy systems.

Q

Quartz Grades (40-S & 25-A) — The two workhorse grades of coloured quartz. 40-S is the broadcast grade, thrown into a pigmented basecoat until rejection; 25-A is the trowel grade, mixed with epoxy into a mortar and troweled down — the most durable option for the harshest environments.

QuickChange — Lavina's tooling fitment system: diamond pads and segments that swap on and off the grinder head in seconds without tools, in bonds for super-hard through soft concrete, with one or two buttons or rectangular segments so the operator can tune how aggressively the machine cuts.

R

Resin Bond Tooling — Diamond tools held in a resin bond — the polishing-stage tools. Resins run at the fine end of the grit progression and produce the floor's final clarity and sheen.

Ride-On Scrubber — The largest scrubber class: the operator rides, and the machine scrubs and dries big, open floors in a single pass — warehouses, production halls, shopping centres, car parks and airports are its home ground.

S

Scarifying (Planing) — Surface preparation with a rotating cutter drum whose tools strike the floor by centrifugal force, chipping material away. Planers (scarifiers) reduce levels and remove old coatings, road markings and failed screeds — more aggressive than grinding, less than shot blasting in texture.

Self-Leveling Underlayment — A cement-based underlayment poured or pumped onto a substrate that flows out level and smooth on its own, ready for floor covering — typical pours run from 1/8 inch up to 1-1/2 inches neat (more with added aggregate) and can be walked on within a few hours.

Shave Window — The working window after a semi-rigid joint filler is placed during which the overfilled material can still be razored or shaved flush with the floor — depending on the product, from about 15 minutes to 24 hours after placement.

Shot Blasting — Totally enclosed surface preparation that propels steel shot at the floor at high velocity; the shot textures concrete, steel or asphalt, rebounds into the machine and is recycled, so the process is quick and effectively dust-free. It leaves a keyed profile that follow-on coatings can grip.

Skimcoat — A trowel-applied patch and finishing underlayment used to patch and skim-coat concrete, wood and other sound substrates, feathering out to a true featheredge — the repair layer that makes a rough substrate ready for a level floor.

Snail Lock — An edge-polishing pad fitment for C-frame machines, common in stone work: the pad's spiral resin design lets water flow between pad and edge, preventing burn marks and marring on engineered stone and concrete edges, in grits from coarse to 3000.

Spiked Roller — A roller covered in sharp spikes, rolled over freshly applied coatings to pop trapped air bubbles and release gas, and to help the coating level out. (Blunt-spiked versions are a different tool, used to force aggregate into overlays.)

Squeegee (Application) — The applicator that spreads resinous coatings at a controlled thickness. Its blade is flat or notched, and the notch size sets the wet film delivered — a shallow 1/8-inch V-notch lays roughly 8–12 mils, a 1/2-inch notch roughly 46–55 mils.

Squeegee (Scrubber) — The rubber blade assembly at the back of a scrubber dryer that, under the machine's suction, wipes the dirty water off the floor and into the recovery tank — the reason a scrubber dryer leaves a floor instantly dry while a plain scrubber leaves it wet.

Stand-On Scrubber — A scrubber class where the operator stands on a platform (Kärcher's Chariot line is the type in this book). It combines the speed and productivity of a ride-on with the small footprint and manoeuvrability of a walk-behind, without the fatigue of walking the whole shift.

T

Texture Additive — A grip additive — polymer, aluminium oxide or coated quartz — mixed into or broadcast onto a topcoat to add slip resistance in entries, kitchens and other wet areas, beyond the natural texture the flake itself provides.

U

Urethane Cement — A flooring system that combines a cement-urethane matrix with quartz aggregate for chemical resistance and thermal-shock resistance — built for the harshest industrial floors, like food and beverage plants that get hot washdowns. (Also called cementitious urethane.)

W

Walk-Behind Scrubber — A scrubber dryer the operator walks behind — the efficient choice for medium-sized areas: retail floors, halls, corridors and aisles, and facilities where a ride-on is too big to manoeuvre.

Water Doser — A device that meters the exact water dose for a mix automatically (Portamix's Squid is the one in this book, adjustable from 1 to 100 litres at about ±3% accuracy), so every batch of a water-based flooring material gets the same, correct amount of water.

Wet Film Thickness (WFT) — How thick a coating is the moment it's applied, measured in mils. Applicator blades are rated by the WFT they deliver (and the matching spread rate in square feet per gallon); actual film varies with blade pressure, substrate porosity, material and back-rolling.

OUR BRANDS

One Source. Every SOLUTION.

Argenbright One LLC · 1660 S IH-35, San Marcos, TX 78666 · (844) 776-7390 · argenbrightone.com

Tap any brand to jump to its section.

ProREZ Coatings

ARDEX Americas

Classic Coatings Systems

Ameripolish

EZChem

Torginol

Coval

Diamond Tec

Seymour Midwest

The Brushman

HTS — Hi-Tech Systems

Vantage

Wellstone

Aramsco

Lavina by Superabrasive

CPS

Bartell Global

Portamix

Forte Tools

Kärcher

Argenbright ONE